



Product Description: Whittle Waxes Floor Care

Natural cleaning, and care treatment for internal wood surfaces.

- **Mopping Additive** designed to both clean and maintain floors finished with Hardwax Oil and our other finishes.
- **Protects:** Floor Care leaves a thin replenishing, protective layer on the surface, without making the surface slippery.
- **For various surfaces:** Cleaning of waxed and oiled surfaces, flooring, paneling, ceiling lining, doors, furniture, countertops and laminate, as well as lacquered parquet and cork surfaces.
- **Safe Meets Australian and German regulations on combustible liquids. Safe** for humans, animals and plants after drying. Food and toy safe. Contains no biocidal substances or preservatives.

Recommended Tools:

Mop, spray bottle,
measuring spoon, cloth

Coverage Rate:

N/A

Sheen Levels: N/A

Container sizes: One Litre spray
bottle, or 1 Litre Floor Care
concentrate.

Storage: Cool but frost-free.

Drying time: Similar to other
cleaning products.

Coats needed: Single coat
system

Surface Preparation

Dry-clean (broom or vacuum cleaner) the floor prior to washing.

Clean and maintain floor as needed.

Small surfaces

- Use The spray bottle and cloth or micro fibre mop.
- Use a mop and bucket for larger areas. Micro Fibre mops are fine on Hardwax Oiled Floors, however, **please do not use them** on other coatings such as Object Oil, One Coat 100, and Treatex Eco as they can possible remove a thin layer of oil over time.

Maintaining Hardwax Floors:

1. Add approximately 25-30 ml Whittle Waxes Floor Care to 6-8 litres of fresh water (1 bucket) and mop moist.
2. Pick up moisture with wrung out cloth.
3. Alternatively mix ½ a teaspoon of concentrate into a 1L spray bottle, mist the floor and dry mop.
4. **Do not mop with water only**, because this will remove the protective film.

Maintaining Oiled Floors:

1. Add approximately 80-100 ml Whittle Waxes Floor Care to 6-8 litres of fresh water (1 bucket) and mop moist.
2. Do not use Micro-fibre Mop as these strip oil from the surface.
3. Pick up moisture with wrung out cloth.
4. **Do not mop with water only**, because this will remove the protective film.



Helpful Advice

- Regular care with floor care will increase its resistance and ensure a longer time between coats.
- When the floor or surface has some minor scratching or slight staining, use Whittle Waxes Object Oil (Repair Wax) See information sheet on our website.
- For a more aggressive cleaning before a total recoating use Whittle Waxes Preparation Cleaner. Please refer to information sheet on our website and contact us for advice before using Preparation Cleaner as it will remove a thin layer of wax and oil from the surface.
- For more information refer to our Cleaning, Care and Maintenance sheet on our website.

Ingredients:

Water, <5% natural soaps, soy lecithin, potash, preservatives, <5% anionic tensides, <5% non-ionic tensides, coconut fat tensides, (benzothiazolinone, methylisothiazolinone).



International GHS Safety Notes: P101 if medical advice is needed, keep packaging or label handy. P102 Keep out of the reach of children. P103 Read label before use. EUH208 Contains 1,2-benzisothiazol-3 (2H) -one. May produce an allergic reaction. In case of skin contact, we recommend wearing suitable gloves (nitrile). EUH210 Safety data sheet available on request. Only completely emptied containers may be recycled. Dried residue can be disposed of as household waste or as construction waste. Dispose of liquid residues at a collection point for old paint.

Disclaimer: Our technical advice in written form is given in good faith and on the basis of experiments, but it is only non-binding advice and does not release you from the obligation to test the products supplied by us as to their suitability for the particular purpose. Application, use and processing of the products outside our direct control are entirely your responsibility. Naturally we guarantee consistent quality of our products corresponding to the original sample. With release of new product information the previous information loses validity.